



**Saskatchewan  
Ministry of  
Agriculture**

# Crop Report

Published by the Ministry of Agriculture  
ISSN 0701 7085  
Report Number 10, June 9, 2008

## Crop Report for June 8, 2008

Crop Report for the week ending June 8, 2008

Seeding of the 2008 crop is now 99 per cent complete, according to Saskatchewan Agriculture's weekly crop report.

All regions report 99 per cent seeding completion except the northwest which reports 98 per cent complete. Some farmers may be putting in some green feed in areas where rain was received.

Provincially, spring cereals averaged 54 per cent in the emerging stage, 35 per cent in the tillering stage and one per cent in the jointed stage. Flax crops are 50 per cent in the emerging stage, 27 per cent in the seedling stage and one per cent in the stem extension stage. Canola and mustard crops are 46 per cent in the emerging stage, 36 per cent in the seedling stage, and three per cent in the rosette stage. Pulse crops are 51 per cent in the emerging stage and 46 per cent in the vegetative stage. Fall cereals are 41 per cent in the tillering stage, 28 per cent in the jointed stage, 23 per cent in the shot blade stage and eight per cent in the heading stage. The remainder of all crops are in the pre-emergent stage.

The southwest region received the majority of the rainfall this past week, followed by the east central and the south-east regions. Topsoil moisture improved in the southeast, southwest and east central areas of the province. Provincially, 57 per cent of the crop land and 46 per cent of the hay and pasture land has adequate topsoil moisture.

During the past week gophers, drought, and insects (flea beetles, wire worms, cutworms, pea leaf weevils) caused the most crop damage. Other sources of crop damage include frost, wind and disease (tan spot, damping off). Spraying for weed control is underway as weather conditions allow.

For further information contact:  
Terry Bedard, P.Ag.  
Agricultural Economist  
Policy Branch  
Ministry of Agriculture  
306-787-5956

Available on the Ministry of Agriculture Internet site at:  
[www.agriculture.gov.sk.ca](http://www.agriculture.gov.sk.ca)

**Please let us know if you no longer need to receive a printed copy.**

### Seeding Progress by Crop District

CD	Jun 8/08	Jun 10/07
1a	99	97
1b	98	95
2a	99	95
2b	99	99
3an	99	98
3ase	99	97
3asw	99	97
3bn	100	98
3bs	99	99
4a	99	99
4b	98	99
5a	98	96
5b	99	89
6a	100	98
6b	99	98
7a	100	99
7b	100	99
8a	100	75
8b	100	89
9ae	100	95
9aw	99	98
9b	96	97
Prov.	99	96

### 1 Year Ago

Seeding of the 2007 crop was 97 per cent complete - some RMs had less than 75 per cent of their crop seeded.

Flooding and gophers caused the most crop damage.

Crops were generally at a normal stage of development.



Agriculture and Agri-Food Canada  
Agriculture et Agroalimentaire Canada



CANADA ~ SASKATCHEWAN

## Crop Insurance

**Saskatchewan Crop Insurance reminds customers of the following important deadlines:**

- Full yield-loss coverage becomes effective on winter wheat and fall rye that will be grazed and/or cut for feed on June 10.
- June 10 is also the final day to finalize claims on over-winter extensions.
- The deadline for planting processing and table variety potatoes is June 10. The deadline for planting seed variety potatoes is June 15.
- Under the Forage Establishment Benefit Option, June 20 is the deadline to seed forage acres.
- June 20 is also the deadline to submit an Establishment Benefit claim and to submit a claim for gopher damage on all crops, except greenfeed.
- Crop Insurance will not accept yield-loss liability for any spring crops seeded after June 20. However, in most areas, crops must be seeded before this deadline to be expected to mature. To be insurable, any seeded crop is expected to reach a reasonable level of maturity before the first fall frost date in the area. Full coverage for yield-loss on established spring and fall-seeded crops begins on June 21.
- Seeded Acreage Reports on all crops are due June 25. Customers who fail to submit or are late in submitting their reports may be assessed a penalty of \$60 and, if necessary, an adjuster will visit their farm to gather the required information at an additional charge.
- Customers are also asked to complete their Stored Grain Declaration form by June 25. Forms were mailed to customers along with their Seeded Acreage Report packages in May. Blank forms are available at [www.saskcropinsurance.com](http://www.saskcropinsurance.com) under Forms.
- June 25 is the deadline to submit Unseeded Acreage claims.
- June 30 is the deadline to seed greenfeed crops covered by Forage Insurance. It is also the deadline to submit all Establishment and gopher damage claims on greenfeed crops.

**South eastern Saskatchewan  
(Crop Districts 1, 2, & 3ase)**

The past week was cool and windy in the southeast with precipitation amounts averaging 13 mm across the region.

Rainfall amounts ranged from an average low of 8 mm in Crop District (CD) 1b to an average high of 21 mm reported in CD 3ase. Frost was reported in the Oxbow, Indian Head, and Minton areas.

Seeding progress is reported as 99% complete across the southeast. Canola crops are showing uneven emergence in the Gainsborough area. Canola is also struggling to

establish in the Grenfell area due to frost and flea beetle damage. Crops are generally slow in development and heat and continued moisture will be important for crop recovery.

Flax was re-seeded in the Grenfell area this past week because of drought and frost damage. In the Odessa area, some canola was re-seeded to barley or oats. Some canola was re-seeded in the Marquis area.

Crop reporters indicate that 61% of the crop land has adequate topsoil moisture, compared to 47% last week. For hay and pasture land, reporters indicate that 47% is in

adequate topsoil moisture condition, compared to 42% last week.

Spring cereal development in the southeast is 36% at or beyond the tillering stage, the furthest advanced region in the province on average. Flax crops are 28% at or beyond the seedling stage. Canola and mustard crops are 39% at or beyond the seedling stage. Pulse crops are 39% at the vegetative stage, the least advanced region in the province on average. Fall cereal crops are 26% at or beyond the shot blade stage.

Flea beetles damaged canola crops in the Lampman,

<b>Saskatchewan Crop Development</b> (per cent at each stage)						
<b>Spring Cereals</b>	<b>pre-emerge</b>	<b>emerge</b>	<b>tillering</b>	<b>jointed</b>	<b>shot blade</b>	
<b>Jun 8/08</b>	<b>10</b>	<b>54</b>	<b>35</b>	<b>1</b>	<b>0</b>	
-southeast	9	49	41	1	0	
-southwest	5	54	39	2	0	
-east central	15	47	36	2	0	
-west central	10	63	26	1	0	
-northeast	5	58	36	1	0	
-northwest	16	61	23	0	0	
<b>Flax</b>	<b>pre-emerge</b>	<b>emerge</b>	<b>seedling</b>	<b>stem ext</b>		
<b>Jun 8/08</b>	<b>22</b>	<b>50</b>	<b>27</b>	<b>1</b>		
-southeast	24	47	28	1		
-southwest	20	62	18	0		
-east central	19	51	29	1		
-west central	24	50	26	0		
-northeast	9	68	23	0		
-northwest	44	55	1	0		
<b>Canola &amp; Mustard</b>	<b>pre-emerge</b>	<b>emerge</b>	<b>seedling</b>	<b>rosette</b>		
<b>Jun 8/08</b>	<b>15</b>	<b>46</b>	<b>36</b>	<b>3</b>		
-southeast	12	49	38	1		
-southwest	3	43	44	10		
-east central	17	45	34	4		
-west central	14	43	40	3		
-northeast	13	48	37	2		
-northwest	23	47	27	3		
<b>Pulse crops</b>	<b>pre-emerge</b>	<b>emerge</b>	<b>vegetative</b>			
<b>Jun 8/08</b>	<b>3</b>	<b>51</b>	<b>46</b>			
-southeast	3	58	39			
-southwest	3	49	48			
-east central	3	50	47			
-west central	4	46	50			
-northeast	3	47	50			
-northwest	2	53	45			
<b>Fall crops</b>	<b>tillering</b>	<b>jointed</b>	<b>shot blade</b>	<b>heading</b>	<b>dough</b>	
<b>Jun 8/08</b>	<b>41</b>	<b>28</b>	<b>23</b>	<b>8</b>	<b>0</b>	
-southeast	43	31	24	2	0	
-southwest	21	28	38	13	0	
-east central	55	32	10	3	0	
-west central	27	25	21	24	3	
-northeast	73	10	16	1	0	
-northwest	18	64	18	0	0	

Kennedy, Moosomin, Grenfell, Weyburn, Montmartre, Odessa, Indian Head, and Minton areas. Slow crop emergence is allowing beetles to do more damage. Cutworms damaged crops in the Kennedy, Minton, and Ceylon areas. Wire worms damaged crops in the Lampman area. Tanspot was reported in the Ceylon area. Farmers in the Odessa area are starting to notice aphids. Gophers caused crop damage in the Qu'Appelle area, especially on older hay fields.

Haying has not begun and it

is expected to be a few weeks before cutting will start. Reporters expect the hay yields in the southeast to be well below average. Pastures are struggling to keep up with grazing livestock.

In-crop spraying is proceeding as weather conditions permit.

#### **South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)**

The southwest was cool with some wind and some very welcome rain during the past

week. An average of 36 mm of precipitation was reported across the region, ranging from an average low of 29 mm in CD 3bn to an average high of 44 mm reported in CD 4a. Several areas in CD 4 saw over 50 mm of rain. Over 90 mm was received in the Viceroy area. Some hail came with the rain in the Bengough area, but damage was expected to be minimal. Before the rains came, crops in several areas sustained drought damage.

Seeding progress is reported as 99% complete across the southwest. Some re-seeding of peas and canola took place in the Gravelbourg area. With the improvement in soil moisture, it is expected that some farmers will plant some greenfeed. Over 200 acres of barley was re-seeded in the Kincaid area after it was destroyed by gophers. Some mustard was re-seeded in the Ponteix area after gophers damaged the crop.

Reporters rate 83% of crop land as having adequate topsoil moisture, compared with 38% last week. For hay and pasture land, topsoil moisture is rated as adequate on 69% of the land, compared with 18% last week.

Spring cereal development in the southwest is 41% at or beyond the tillering stage. Flax crops are 18% at the seedling stage. Canola and mustard crops are 54% at or beyond the seedling stage, the furthest

advanced region on average. Pulse crops are 48% at the vegetative stage. Fall cereal crops are 51% at or beyond the shot blade stage. Some farmers are concerned that the slow crop development might mean challenges with crops blooming during hot temperatures.

Gophers caused the most crop damage in the southwest during the past week, destroying crops, hay, and pastures. Geese were eating peas in the Coderre area. Cutworm damage was reported in the Viceroy, Assiniboia, Limerick, Blumenhof, and Stewart Valley areas. Pea leaf weevils were at economic threshold levels south of Gull Lake. Grasshoppers are hatching in the Bengough area.

Tame hay crops are generally short and well below average yields are expected.

Farmers are spraying for weeds and for chemfallow as weather permits. Reporters indicated a shortage of water for spraying in the Limerick area. Water for livestock continues to be short in the Orkney, Mankota, Stewart Valley, and Consul areas.

#### **East central Saskatchewan (Crop Districts 5 & 6a)**

The east central region was cool with some showers last week. An average of 13 mm was reported across the region, ranging from an average low of 6 mm in CD 5a to an average high of 16 mm reported in CDs

5b and 6a. Drought damage was reported in a few areas. Frost damage was reported in the Veregini and Leroy areas. Wind damage was reported in the Bullock area.

Seeding progress is reported as 99% complete across the east central region. Canola crops were showing poor emergence in the Langenburg area. Some canola was re-seeded in the Saltcoats area due to frost and drought. Some canola fields were re-seeded to oats in south of Raymore due to frost and emergence problems. Canola was also re-seeded in the Rose Valley area due to frost and poor emergence. Re-seeding was also reported from the Imperial area.

Topsoil moisture improved in the east central region during the past week. Fifty-eight per cent of reporters rated topsoil moisture on crop land as adequate, compared with 39% last week. On hay and pasture land, topsoil moisture conditions were rated adequate by 47% of reporters, compared with 27% last week. In the Leroy area, the recent rains have made for an "oreo-cookie" effect in the soil – a dry layer sandwiched in between two wet layers.

Spring cereal development in the east central region is 38% at or beyond the tillering stage. Flax crops are 30% at or beyond the vegetative stage, the most advanced region in the province on average. Canola and mustard

crops are 38% at or beyond the seedling stage. Pulse crops are 47% at the vegetative stage. Fall cereal crops are 13% at or beyond the shot blade stage. Farmers are looking for warmer temperatures to spur on crop development. The lateness of the crops has some concerned about frost damage in the fall.

Flea beetles damaged crops in many areas of the east central region. Some areas have started applying insecticide. There was some damping off in crops in the Kamsack area. Gophers damaged crops in the Lumsden area.

Cattle producers are running out of hay. Stock are still being fed because of poor pasture conditions. Hay yields for this season are expected to be below average.

Herbicide spraying was in progress. Farmers are also harrowing and picking rocks.

#### **West central Saskatchewan (Crop Districts 6b & 7)**

The past week was cool with some winds and some showers in the west central region. An average of 6 mm of precipitation was reported, ranging from an average low of 3 mm in CD 6b to an average high of 12 mm reported in CD 7a. Crop damage from dry soil conditions was reported in a number of areas. Wind damage was reported in the Harris area. Frost damage was reported in the Major area.

Seeding progress is reported as 99% complete across the west central region. Canola emergence is slow and crop development in general is behind. Re-seeding in the Battleford area is not a good option because of the dry soil.

Topsoil moisture conditions were similar to last week in the west central region. Reporters rated 38% of crop land and 18% of hay and pasture land as having adequate topsoil moisture, compared with 38% and 21% respectively last week.

Spring cereal development in the west central region is 27% at or beyond the tillering stage. Flax crops are 26% at the seedling stage. Canola and mustard crops are 43% at or beyond the seedling stage. Pulse crops are 50% at the vegetative stage. Fall cereal crops are 27% at or beyond the heading stage, the furthest advanced in the province on average.

Flea beetles damaged crops in the Kerrobert and Biggar areas. Gophers caused crop damage in the Kerrobert area. Geese caused some damage in the Unity area.

Pastures and hay crops are looking poor. Hay yields are not looking promising. Cattle are being turned into hayfields in the Hanley and Harris areas.

In-crop spraying, chemfallow, and summer fallow are getting underway.

### **North eastern Saskatchewan (Crop Districts 8 & 9ae)**

The northeast was sunny with cool nights this past week. An average of 7 mm of precipitation was reported across the region, ranging from an average low of 2 mm reported in CD 9ae, to an average high of 10 mm reported in CD 8a. Frost caused some damage in the Nipawin area. Dry soil caused some damage in the Humboldt and Vonda areas.

Seeding progress is reported as almost 100% complete across the northeast. Some canola was re-seeded in the Porcupine Plain and Arbourfield areas. Re-seeding also took place in the Nipawin area due to poor germination and in the Hoey area due to frost damage.

Reporters rate topsoil moisture on 57% of crop land as adequate, compared with 63% last week. For hay and pasture land, reporters rate 55% as having adequate topsoil moisture conditions, up from 52% last week.

Spring cereal development in the northeast is 37% at or beyond the tillering stage. Flax crops are 23% at the seedling stage. Canola and mustard crops are 39% at or beyond the seedling stage. Pulse crops are 50% at the vegetative stage, the furthest advanced in the province on average. Fall cereal crops are 17% at or beyond the shot blade

stage. The least advanced in the province on average.

Flea beetles caused crop damage in the Porcupine Plain, Arbourfield, Nipawin, Humboldt, and Vonda areas.

Pastures and hay fields are suffering. More rain and warmer temperatures will be needed to try to repair the damage.

Herbicide spraying is underway.

### **North western Saskatchewan (Crop Districts 9aw & 9b)**

The northwest was warm and dry with spotty showers. Those showers brought an average of 2 mm of precipitation. Crop District 9aw received an average of 4 mm, while CD 9b received an average of less than ½ mm. Damage from drought was reported across the region. Frost damage was reported in the Duck Lake and Meadow Lake areas.

Seeding progress is reported as 98% complete across the northwest. Later seeded crops are showing poor germination. Some canola was re-seeded in the Meadow Lake area due to frost damage.

Topsoil moisture was rated as adequate on 25% of the crop land, compared with 41% last week. On hay and pasture land, topsoil moisture was reported as 22% adequate, compared with 35% last week.

Crop development in the northwest is the least advanced, on average, in the province for all crop groups, except pulses. Spring cereal development in the northwest is 23% at the tillering stage. Flax crops are 1% at the seedling stage. Canola and mustard crops are 30% at or beyond the seedling stage. Pulse crops are 45% at the vegetative stage. Fall cereal crops are 18% at the shot blade stage.

Flea beetles were damaging crops in the Dorintosh and Meadow Lake areas. Gophers damaged crops in the Medstead area.

Pastures and hay crops are in poor condition and rain is needed yesterday. Cattle are moving through pastures quickly.

Weed spraying is underway. In some areas it is too dusty to spray. Gravel roads are also very dusty and make for hazardous driving conditions.

**Please note the first page of precipitation is from Crop Report #9 and the second page of preceipitation is from today's report #10.**

#### Degree Days Above 5°C

R.M.	Since April 1	May 25-31	Total
3	211	68	279
17A	229.5	52	281.5
38B	233.5 *	64.5	298
43A	245.05	62.6	307.65
43B	173.8 *	51.05	224.85
44	229.5	44.5	274
67	152.5 *	61	213.5
68	293.45	71.95	365.4
69	200.9 *	55.7	256.6
71A	189.1 *	48.55	237.65
72	198.7	53.85	252.55
73B	186	57.5	243.5
75B	234.3 *	55.4	289.7
76A	287.15	64.7	351.85
78A	189	53	242
97	216.985	61.7	278.685
108	131 *	43.5	174.5
109	112 *	45.5	157.5
111A	290.1	58	348.1
123	151.5	44.5	196
124	146.05 *	47.55	193.6
127	199.65 *	54.85	254.5
132	201.5 *	53.5	255
134	94 *	43.5	137.5
138	294	62	356
141	239.5 *	64.35	303.85
142	305.7	69.8	375.5
151B	153.5	46.35	199.85
166	271 *	43.5	314.5
167	183.5 *	58.5	242
185	165.55 *	59.35	224.9
186	137.5 *	39.5	177
190B	256.55 *	53.65	310.2
193	261.95	64.8	326.75
221	205 *	63.4	268.4
222	231.7 *	64	295.7
246	149.3	56.35	205.65
259	211.95 *	54.45	266.4
271	128.5	57	185.5
276	106 *	53.5	159.5
277	167.2 *	65.2	232.4
283	201.45 *	67.25	268.7
285	235.15 *	68.7	303.85
287	191.5 *	59	250.5
312	190.45	57.8	248.25
318A	206.5	62	268.5
336	162.5 *	47	209.5
339	164	61.75	225.75
340A	167 *	61	228
343	236.3	70.25	306.55
370	202	72	274
379	179.95 *	67.4	247.35
397	135.5	57.5	193
428	178.5	71.5	250
429B	142.5 *	68	210.5
442	195	66	261
456	109.5	52.5	162
488	257	71.35	328.35
496	181.5	73	254.5
502	184 *	73.5	257.5

\* incomplete

# Weekly Rainfall Summary

(in millimeters)

for the week ending May 31, 2008

Crop Municipality					Crop Municipality					Crop Municipality					
Dist.	No.	Name	Past Week	Since April 1	Dist.	No.	Name	Past Week	Since April 1	Dist.	No.	Name	Past Week	Since April 1	
1A	1	Argyle	N/A	21 *	3BN	108	Bone Creek	8	62	7A	345	Vanscoy	NIL	23	
	2	Mount Pleasant	27	68		138	Webb	16	86		346	Perdue	NIL	33	
	3	Enniskillen	35	70		165	Morse	N/A	24 *		376 A	Eagle Creek	NA	35 *	
	33 A	Moose Creek	NA	16 *		166	Excelsior	8	26		376 B	Eagle Creek	2	47	
	33 B	Moose Creek	18	43		167	Sask. Landing	7	48		403	Rosthern	1	54	
	34	Browning	19	40		168	Riverside	4	100		259	Snipe Lake	4	58	
	64	Brock	28	36		226	Victory	NIL	19		287	St. Andrews	1	53	
	65	Tecumseh	18	28		228 A	Lacadena	NIL	40		288	Pleasant Valley	7	44	
	1B	91	Maryfield	33		66	228 B	Lacadena	NIL		64	292	Milton	NIL	61
	92	Walpole	33	49		255	Coteau	NA	17 *		317 A	Marriott	NA	39 *	
93	Wawken	21	43	4A	49	White Valley	5	53	317 B	Marriott	2	27			
94	Hazelwood	45	57		49 A	White Valley	6	66	318 A	Mountain View	NIL	51			
95	Golden West	19	28		51	Reno	1	66	318 B	Mountain View	TR	44			
121	Moosomin	8	63		79	Arlington	17	51	320	Oakdale	6	105			
122	Martin	8	63		109	Carmichael	NIL	70	321	Prairiedale	NIL	68			
123	Silverwood	21	44		110	Piapot	5	77	7B	347 A	Biggar	2	49		
124	Kingsley	28	46		111 A	Maple Creek	2	66	347 B	Biggar	NA	29 *			
125	Chester	10	23		111 B	Maple Creek	9	49	350 A	Mariposa	1	58			
151 A	Rocanville	40	58		4B	139	Gull Lake	4	39	350 B	Mariposa	TR	46		
151 B	Rocanville	23	55		141	Big Stick	8	79	351	Progress	NIL	66			
153	Willowdale	30	46	142	Enterprise	4	70	352	Heart's Hill	NIL	110				
154	Elcapo	24	28	169	Pittville	5	64	377	Glenside	1	40				
155	Wolsley	11	27	231	Happyland	2	79	378 A	Rosemount	TR	44				
2A	36	Cymri	15	37	232	Deer Forks	1	57	378 B	Rosemount	2	66			
	66	Griffin	28	41	5A	183	Fertile Belt	46	69	379	Reford	TR	57		
	67	Weyburn	20	30	184	Grayson	18	43	380	Tramping Lake	NIL	49			
	68	Brokenshell	18	27	185	McLeod	3	29	381	Grass Lake	NIL	78			
	69	Norton	18	36	186	Abernethy	9	41	382	Eye Hill	2	81			
	96	Fillmore	15	29	211	Churchbridge	2	8	409	Buffalo	NIL	56			
	97	Wellington	8	23	213	Saltcoats	5	23	410	Round Valley	NIL	65			
	99	Caledonia	17	19	216 A	Tullymet	13	37	411	Senlac	NA	76 *			
	2B	126	Montmartre	7	24	216 B	Tullymet	1	42	8A	395	Porcupine	17	31	
	127	Francis	10	33	241	Calder	NA	7 *	397	Barrier Valley	4	31			
129	Bratt's Lake	3	18	243	Wallace	NA	0 *	398	Pleasantdale	4	25				
131	Baldon	12	34	245 A	Garry	20	37	428	Star City	TR	43				
156 A	Indian Head	16	42	245 B	Garry	14	43	456	Arborsfield	7	30				
157	South Qu'Appelle	10	20	246	Ituna Bon Accord	8	44	457	Connaught	12	31				
158	Edenwold	5	30	247	Kellross	12	34	458	Willow Creek	4	36				
160	Pense	13	37	248	Touchwood	3	22	486	Moose Range	5	23				
161	Moose Jaw	5	46	5B	271	Cote	3	18	487	Nipawin	5	38			
191	Marquis	11	27		273	Sliding Hills	2	7	8B	369	St. Peter	2	23		
3ASE	9	Surprise Valley	13		37	275	Insinger	14	31	370	Humboldt	TR	27		
38 A	Laurier	24	47		276	Foam Lake	12	36	371	Bayne	4	43			
38 B	Laurier	8	33		277	Emerald	17	32	372	Grant	4	35			
39 A	The Gap	18	50		304	Buchanan	3	15	373	Aberdeen	NA	22 *			
39 B	The Gap	15	39		307	Elfros	10	39	400	Three Lakes	NA	10 *			
3ASW	10	Happy Valley	5		44	308	Big Quill	9	19	402	Fish Creek	NIL	41		
12	Poplar Valley	5	35		333	Clayton	N/A	31 *	429 A	Flett's Springs	NA	19 *			
40	Bengough	3	38		335	Hazel Dell	10	28	429 B	Flett's Springs	NIL	30			
42	Willow Bunch	12	54	336	Sasman	9	33	431	St. Louis	1	27				
43 A	Old Post	8	48	337	Lakeview	12	44	459	Kinistino	NA	10				
43 B	Old Post	NA	53 *	338	Lakeside	11	46	9AE	488	Torch River	12	57			
44	Waverley	8	57	366	Kelvington	19	41	520	Paddockwood	2	27				
70	Key West	N/A	36 *	367	Ponass Lake	NA	39 *	9AW	405	Great Bend	NIL	NIL			
71 A	Excel	8	39	6A	189	Lumsden	14	48	406	Mayfield	5	39			
71 B	Excel	6	30		190 A	Dufferin	7	21	435	Redberry	6	40			
71 C	Excel	10	38		190 B	Dufferin	8	26	436	Douglas	3	38			
72	Lake Of The Rivers	8	50		190 C	Dufferin	13	27	463	Duck Lake	1	57			
73 A	Stonehenge	13	67		219 B	Longlaketon	15	33	464	Leask	13	85			
73 B	Stonehenge	NIL	65		219 C	Longlaketon	12	37	466	Meeting Lake	2	49			
3AN	101	Terrell	21		42	220	Mckillop	14	30	467	Round Hill	NIL	41		
102	Lake Johnston	3	34		221	Sarnia	6	49	493	Shellbrook	10	38			
103	Sutton	13	58		222	Craik	4	44	494	Canwood	3	31			
132	Hillsborough	2	29		251	Big Arm	13	39	496	Spiritwood	2	53			
134	Shamrock	7	52	252	Arm River	9	31	497	Medstead	NIL	56				
164	Chaplin	13	32	279 A	Mount Hope	NA	18 *	555	Big River	1	38				
193	Eyebrow	16	40	279 B	Mount Hope	3	22	9B	438	Battle River	TR	58			
194	Enfield	NA	18 *	280	Wreford	7	25	440	Hillsdale	NA	79 *				
3BS	17 A	Val Marie	9	61	282	McCraney	3	27	442	Manitou Lake	2	69			
	17 B	Val Marie	2	44	309	Prairie Rose	7	44	498 A	Parkdale	NIL	67			
	45	Mankota	11	51	312	Morris	5	34	498 B	Parkdale	NA	71 *			
	75 A	Pinto Creek	3	49	313	Lost River	4	32	499	Mervin	1	67			
	75 B	Pinto Creek	7	51	339	Leroy	4	47	501 A	Frenchman Butte	2	82			
	76 A	Auvergne	NIL	48	340 A	Wolverine	5	36	501 B	Frenchman Butte	1	56			
	76 B	Auvergne	1	53	340 B	Wolverine	NA	15 *	501 C	Frenchman Butte	3	75			
	77	Wise Creek	12	70	341	Viscount	3	18	502	Britannia	3	74			
	78 A	Grassy Creek	10	68	343	Blucher	3	17	561	Loon Lake	NIL	46			
	78 B	Grassy Creek	10	67	6B	283	Rosedale	1	28	588 A	Meadow Lake	1	29		
78 C	Grassy Creek	9	63	284	Rudy	2	28	588 B	Meadow Lake	NIL	39				
105	Glenbain	9	49	285	Fertile Valley	5	37	588 C	Meadow Lake	NIL	48				
106	Whiska Creek	4	38	286	Milden	NIL	32	588 D	Meadow Lake	NIL	34				
107	Lac Pelletier	NA	34 *	314	Dundurn	TR	20	622	Beaver River	NA	42 *				
				344	Corman Park	NIL	23								

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

\* incomplete

Municipality No: A, B, C, and D - more than one reporter

# Weekly Rainfall Summary

(in millimeters)

for the week ending June 7, 2008


Crop Municipality				Past	Since	Crop Municipality				Past	Since	Crop Municipality				Past	Since
Dist. No. Name				Week	April 1	Dist. No. Name				Week	April 1	Dist. No. Name				Week	April 1
1A	1	Argyle		12	85	3BN	138	Webb		24	110		376 A	Eagle Creek		NIL	43
	2	Mount Pleasant		N/A	68 *		165	Morse		23	64		376 B	Eagle Creek		TR	47
	3	Enniskillen		19	89		166	Excelsior		25	57		403	Rosthern		2	56
33 A		Moose Creek		15	60		167	Sask. Landing		47	95	7A	259	Snipe Lake		27	84
33 B		Moose Creek		13	56		168	Riverside		27	127		287	St. Andrews		5	58
	34	Browning		8	48		226	Victory		N/A	19 *		288	Pleasant Valley		6	50
	61	Antler		N/A	44 *		228 A	Lacadena		31	71		292	Milton		26	87
	64	Brook		N/A	43 *		228 B	Lacadena		N/A	64 *		317 A	Marriott		N/A	39 *
	65	Tecumseh		8	36		255	Coteau		N/A	17 *		317 B	Marriott		2	29
1B	91	Maryfield		14	80	4A	49	White Valley		52	105		318 A	Mountain View		22	73
	92	Walpole		12	61		49 A	White Valley		40	106		318 B	Mountain View		1	45
	93	Wawken		5	48		51	Reno		25	91		320	Oakdale		N/A	105 *
	94	Hazelwood		3	60		79	Arlington		52	103		321	Prairiedale		9	77
	95	Golden West		2	30		109	Carmichael		51	121	7B	347 A	Biggar		NIL	49
	121	Moosomin		20	83		110	Piapot		30	107		347 B	Biggar		12	41
	122	Martin		N/A	63 *		111 A	Maple Creek		46	112		350 A	Mariposa		NIL	59
	123	Silverwood		3	47		111 B	Maple Creek		54	103		350 B	Mariposa		2	48
	124	Kingsley		4	50		139	Gull Lake		25	64		351	Progress		4	70
	125	Chester		3	26		141	Big Stick		57	136		352	Heart's Hill		20	130
151 A		Rocanville		19	77		142	Enterprise		35	105		377	Glenside		1	41
151 B		Rocanville		10	65	4B	169	Pittville		9	73		378 A	Rosemount		1	45
	153	Willowdale		3	49		231	Happyland		44	123		378 B	Rosemount		8	74
	154	Elcapo		4	32		232	Deer Forks		32	89		379	Reford		1	58
	155	Wolseley		5	32	5A	183	Fertile Belt		N/A	69 *		380	Tramping Lake		NIL	49
2A	36	Cymri			15		184	Grayson		7	50		381	Grass Lake		1	79
52	66	Griffin		8	49		185	McLeod		2	31		382	Eye Hill		TR	81
	67	Weyburn		22	52		186	Abernethy		2	43		409	Buffalo		1	57
	68	Brokenshell		28	55		211	Churchbridge		7	15		410	Round Valley		NIL	65
	69	Norton		27	63		213	Saltcoats		2	25	8A	411	Senlac		13	91
	96	Fillmore		3	32		216 A	Tullymet		5	42		395	Porcupine		38	69
	97	Wellington		4	27		216 B	Tullymet		16	58		397	Barrier Valley		19	51
	99	Caledonia		19	38		241	Calder		6	21		398	Pleasantdale		5	30
2B	126	Montmartre		2	26		243	Wallace		1	15		428	Star City		5	48
	127	Francis		6	39		245 A	Garry		N/A	37 *		456	Arborefield		12	42
	129	Bratt's Lake		N/A	18 *		245 B	Garry		11	54		457	Connaught		N/A	31 *
	131	Baildon		17	51		246	Ituna Bon Accord		6	50		458	Willow Creek		NIL	36
	156 A	Indian Head		5	47		247	Kellross		5	39		486	Moose Range		3	26
	157	South Qu'appelle		10	30		248	Touchwood		15	37		487	Nipawin		TR	38
	158	Edenwold		16	45	5B	271	Cote		19	37		369	St. Peter		15	38
	160	Pense		40	77		273	Sliding Hills		5	12	8B	370	Humboldt		NIL	27
	161	Moose Jaw		19	65		275	Insinger		12	43		371	Bayne		4	47
	191	Marquis		21	48		276	Foam Lake		15	51		372	Grant		6	41
3ASE	9	Surprise Valley		27	54		277	Emerald		NIL	32		373	Aberdeen		N/A	22 *
	38 A	Laurier		N/A	47 *		304	Buchanan		7	22		400	Three Lakes		NIL	10
	38 B	Laurier		23	56		307	Elfros		18	57		402	Fish Creek		TR	41
	39 A	The Gap		22	72		308	Big Quill		24	43		429 A	Flett's Springs		N/A	19 *
	39 B	The Gap		12	51		333	Clayton		7	40		429 B	Flett's Springs		NIL	30
3ASW	10	Happy Valley		12	56		335	Hazel Dell		30	58		431	St. Louis		TR	27
	12	Poplar Valley		16	51		336	Sasman		14	47		459	Kinistino		NIL	10
	40	Bengough		25	63		337	Lakeview		21	65	9AE	488	Torch River		NIL	57
	42	Willow Bunch		20	74		338	Lakeside		18	64		520	Paddockwood		5	32
	43 A	Old Post		50	98		366	Kelvington		25	66		405	Great Bend		N/A	NIL *
	43 B	Old Post		12	69		367 B	Ponass Lake		22	61		406	Mayfield		14	53
	44	Waverley		13	70	6A	189	Lumsden		19	67	9AW	435	Redberry		6	46
	70	Key West		31	77		190 A	Dufferin		8	29		436	Douglas		NIL	38
	71 A	Excel		31	70		190 B	Dufferin		21	47		463	Duck Lake		NIL	57
	71 B	Excel		N/A	30 *		190 C	Dufferin		12	39		464	Leask		TR	85
	71 C	Excel		96	134		219 B	Longlaketon		9	42		466	Meeting Lake		N/A	49 *
	72	Lake Of The Rivers		28	78		219 C	Longlaketon		14	51		467	Round Hill		22	63
	73 A	Stonehenge		11	78		220	McKillop		18	48		493	Shellbrook		NIL	38
	73 B	Stonehenge		41	106		221	Sarnia		29	78		494	Canwood		NIL	31
3AN	101	Terrell		17	59		222	Craik		20	64		496	Spiritwood		NIL	53
	102	Lake Johnston		31	65		251	Big Arm		20	59		497	Medstead		NIL	56
	103	Sutton		16	74		252	Arm River		15	46	9B	555	Big River		NIL	38
	132	Hillsborough		42	71		279 A	Mount Hope		16	44		438	Battle River		TR	58
	134	Shamrock		55	107		279 B	Mount Hope		15	37		440	Hillsdale		N/A	79 *
	164	Chaplin		49	81		280	Wreford		N/A	25 *		442	Manitow Lake		0	70
	193	Eyebrow		16	56		282	McCraney		15	42		498 A	Parkdale		1	67
	194	Enfield		18	50		309	Prairie Rose		13	57		498 B	Parkdale		N/A	71 *
3BS	17 A	Val Marie		49	110		312	Morris		11	45		499	Mervin		N/A	67 *
	17 B	Val Marie		32	76		313	Lost River		11	43		501 A	Frenchman Butte		NIL	82
	45	Mankota		16	67		339	Leroy		18	65		501 B	Frenchman Butte		NIL	56
	75 A	Pinto Creek		36	85		340 A	Wolverine		16	52		501 C	Frenchman Butte		1	76
	75 B	Pinto Creek		12	63		340 B	Wolverine		19	45		502	Britannia		1	75
	76 A	Auvergne		30	78		341	Viscount		15	33		561	Loon Lake		NIL	46
	76 B	Auvergne		46	99		343	Blucher		11	28		588 A	Meadow Lake		NIL	29
	77	Wise Creek		32	102	6B	283	Rosedale		8	36		588 B	Meadow Lake		NIL	39
	78 A	Grassy Creek		74	142		284	Rudy		3	31		588 C	Meadow Lake		NIL	48
	78 B	Grassy Creek		35	102		285	Fertile Valley		4	41		588 D	Meadow Lake		NIL	35
	78 C	Grassy Creek		76	139		286	Milden		NIL	32		622	Beaver River		NIL	42
	105	Glenbain		36	85		314	Dundurn		12	32						
	106	Whiska Creek		48	86		344	Corman Park		1	24						
	107	Lac Pelletier		43	80		345	Vancsoy		2	25						
	108	Bone Creek		74	136		346	Perdue		N/A	33 *						

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

\* incomplete

Municipality No: A, B, C, and D - more than one reporter

# Weekly Rainfall for the week ending June 7 2008



**Cumulative Rainfall**  
**From: April 1, 2008**  
**To: June 7, 2008**

**Rainfall (mm)**

